









<u> Asphalt Pavement Solutions – For Life (APS-FL)</u>

 AAPA introduced the APS – FL project in 2011 to investigate the curre pavement design system which is believed to be overly conservative.

- The objective of the APS-FL project is to improve the effective deployment of Long Life Asphalt Pavement structures within Australian highway construction practice.
- National Asphalt Materials Characterization Study was introduced to provide hard data on the performance characteristics of typical Australian asphalt materials.
- 28 dense graded asphalt mixes produced by Australia's major asphalt producers were taken from plant production and subjected to performance tests (Dynamic Modulus).



ÄAPA

28/09/13











28/09/13



4 Review of Nominated Dynamic Modulus Models 9 Review of Nominated Dynamic Modulus Models 8 Review of Nominated Dynamic Modulus Models 9 Review of Nominated Dynamic Modulus Models 9 Review of Nominated Dynamic Models <			14/2
Winczak 1-37A - Original Winczak 1-37A - Original Winczak 1-37A - Original Winczak 1-37A - Original Transa Trans	4	Review of Nominated Dynamic Modulus Models	
Vinceak (-401) - Modified Transf Drama (Mucak (-107)) 085129937 + 0.0293232 p200 -0.001767,0;200 JZ -0.002841.p/4 -0.058097 V/a -0.002208 V.beff /V.beff + 4.371977 -0.0021.p/4 + 0.003958.p28 - 0.0000017,0;28 JZ +0.00570.p14 / A+ef(-0.603313-0.313551.bsg(f) -0.393522.bsg(2) Particle Transf - 100 085		a Witczak 1-37A - Original	
Image Image <th< td=""><th></th><th></th><th></th></th<>			
Original Wincok (1-77): 0.0001767.(p;200) JZ −0.002841.p;44 −0.058097.Via −0.002208.V.beff /(V.beff + /a) 3.07:1977 −0.0022.p;200 −0.001767.(p;200) JZ −0.002841.p;44 −0.058097.Via −0.002208.V.beff /(V.beff + /a) 3.07:1977 −0.0022.p;44 −0.003958.p;638 −0.000017.(p;208) JZ +0.005470.p;544 /1+ef(-0.603313 −0.313551.log(f) 0.393352.log(h) 0.393352.log(h) 0.8958.95.05.05.05.05.05.05.05.05.05.05.05.05.05			
2.307(977-0.0021.p./4+0.003958.p./38-0.000017.(p./38-)72+0.005470.p./34-/7+e7(~0.603313-0.3135511.log(f) 4.3333521.log(f)) mana Managa (1=00) gen = 3.29+0.754(f; fb /r -0.0952) x (6.65-0.032p./200+0.0027p./200 Z+0.011p/4 -0.0001p./4 Z+0.000p./58 = -0.007 A = -1.00(Y.heff /r/a + Y.heff)) + 2.56+0.037(A + 7.1)(Y.heff /Y./a + Y.heff)+0.012p./38-0.0001p./4 Z = 0.00014p./38 2-0.007 A = -1.00(Y.heff /r/a + Y.heff)) + 2.56+0.037(A + 7.1)(Y.heff /Y./a + Y.heff)+0.012p./38-0.0001p./4 Z = 0.00014p./4 Z)riginal ogE=-1 /4a)	Witczak (1-37A): .249937+0.029232.p/200 -0.001767.(p/200)72 -0.002841.p4	4 –0.058097.V/a –0.802208.V/beff /(V/beff +
odified Witersk (1–805); g8E=0.349+0.754/(E.B. /r /f=0.0052)×(6.65=0.032p/200 +0.0027p/200 72 +0.011p/4 =0.0001p/4 72 +0.006p/38 =0.00014p/38 2=0.08Y a= 1.56(Y.Meff //a +Y.Meff))+2.56+0.03Y a+0.71(Y.Meff /Y.a +Y.Meff)+0.012p/38 =0.0001p/38 72 =0.01p/34 /1+ (r=0.711+0.7578)(ac,B. /r +0.0838)(ac,B.)	-3.8719 -0.3935	77-0.0021.p4+0.003958.p438-0.000017.(p438)72+0.0054 32.log(η))	0.p/34 /1+e1(-0.603313-0.313551.log(l)
	Modified logE=-0. f2 -0.08V e <i>1(</i> -0.78	Witozak (1-40D): 349+0.754 (f.b. fr. //-0.0052.)× (6.65-0.032p,/200+0.0027p,/ 34 - 1.06(7)-bft //3 + Vibeff)) + 2.56+0.03V /a +0.71 (Yibeff 14-0.5785log(f.b. fr. /+0.8834log8.b.)	200 72 + 0.011p/4 -0.0001p/4 72 +0.006p/38 -0.00014p/38 /V/a +V/beff)+0.012p/38 -0.0001p/38 72 -0.01p/34 /1+





















28/09/13



