Pavement Preservation is *applied*Asset Management



Jerry Geib MnDOT, USA




Outline


- >Minnesota Data
- >MnDOT Assets Pavements
- >Treatment Best Practices

MINNESOTA, USA INFORMATION













PAVEMENT ASSET | 2 INFORMATION |

MINNESOTA

12th is total area 86,935 sq. mi. 21st in population 5,420,000 5th in the USA, in lane miles 285,180

MnDOT owns 29,300 lane miles

A

The 29,300 lane mile state highway system is 74% of State-owned capitol assets.

· ·						
A	PPRS	PARIS	201	5	•	f


ASSET CLASS	REPLACEMENT COST		
Pavements	\$29.5 B		
Bridges	\$6.6B		
Highway Culverts	\$1.7B		
Deep Stormwater Tunnels	\$300M		
Overhead Sign Structures	\$200M		
High-Mast Light Tower Structures	\$19M		

MnDOT new Asset Management web page is at www.dot.state.mn.us/ assetmanagement/index.html

PAVEMENT PRESERVATION BEST PRACTICES 3

Hot Mix Asphalt Use the Infrared Bar Polymer modified AC **Uniform Tack Coat Nova-Chip**






Chip Seal CRS-2P emulsion Design application rates Fog Seal with CSS-1h

Micro Surfacing Night time test strip Softer base asphalt SBS polymer

CONCLUSION

- > MN is Very Cold
- > Pavements \$29.5B
- > Pavement Preservation
 - > Right teatment, right road, right time





QUESTIONS?

JERRY GEIB jerry.geib@state.mn.us